

Message

From: Vescovi, Susan [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=543D068AA4684A9EA40BED68AF673757-SVESCOVI]
Sent: 10/19/2020 12:47:32 PM
To: KLESMITH, DANIELA [DKLESMIT@idem.IN.gov]
Subject: RE: Submission of Demonstration for a Site-specific Alternative to Initiation of Closure Deadline for the Indiana-Kentucky Electric Corporation's Clifty Creek Station

Hi Daniela,

That's a good question. We will let you know when the demonstration is available for public comment. They have demonstration documents currently available on their compliance website: <https://www.ovec.com/CCRClify.php>

For updates of the review process you can look at our site: <https://www.epa.gov/coalash/ccr-part-implementation>. I don't see it up yet.

Hope this helps!

-Susan

From: KLESMITH, DANIELA <DKLESMIT@idem.IN.gov>
Sent: Monday, October 19, 2020 6:59 AM
To: Vescovi, Susan <vescovi.susan@epa.gov>
Subject: RE: Submission of Demonstration for a Site-specific Alternative to Initiation of Closure Deadline for the Indiana-Kentucky Electric Corporation's Clifty Creek Station

Thank you, this is very helpful. Do you know when the demonstration application will be posted to the web site?



Daniela Klesmith
Engineering Technical Advisor
Permits Branch | Office of Land Quality
Indiana Department of Environmental Management

(317) 232-8840 | dklesmit@idem.IN.gov



CONFIDENTIALITY NOTICE: The materials in this e-mail (including all attachments) are private and confidential and the property of the sender. The opinions in this e-mail or attachments are intended to advise the recipient in his or her decision-making process. They are based on the information available to and reviewed by me at the time of writing. The information is privileged and is intended only for the use of the intended addressee, please be advised that any unauthorized disclosure, copying, distribution, or the taking of any action in reliance on the content of this material is strictly prohibited. If you have received this e-mail in error, please notify the sender and then delete all copies of the material. Thank you

COVID-19 Resources:

- **Indiana State Dept. of Health (ISDH) COVID-19 Call Center:** Call 877-826-0011 (available 8:00 am-5:00 pm daily).
- **Anthem NurseLine:** Call 800-337-4770 or visit the [Anthem NurseLine](#) online for a FREE symptom screening. Available to anyone with an Anthem health plan (this includes State of IN employees)
- **Anthem Employee Assistance Program (EAP):** Available to ALL state employees and adults in household regardless of health plan participation. Call 800-223-7723 or visit anthemeap.com (enter State of Indiana) for crisis counseling, help finding child/elder care, legal/financial consultation and much more.

From: Vescovi, Susan <vescovi.susan@epa.gov>

Sent: Friday, October 16, 2020 10:47 AM

To: KLESMITH, DANIELA <DKLESMIT@idem.IN.gov>; McClure, Amy <AMcclure@idem.IN.gov>

Cc: Hillyer, Kirsten <hillyer.kirsten@epa.gov>; Mooney, Susan <mooney.susan@epa.gov>

Subject: Submission of Demonstration for a Site-specific Alternative to Initiation of Closure Deadline for the Indiana-Kentucky Electric Corporation's Clifty Creek Station

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Hi IDEM CCR team,

As you may know, on July 29, 2020, the Administrator signed a final rule revision of the CCR regulations. Among other things, the final rule establishes new alternative closure provisions at Sections 257.103(f)(1) and (f)(2) for a facility that cannot cease receipt of waste by April 11, 2021. On August 28, 2020, the final rule was published in the *Federal Register* (85 FR 53516).

On October 15th, 2020, EPA received a demonstration from the Indiana-Kentucky Electric Corporation for the use of 257.103(f)(1) for Clifty Creek Station. EPA is currently evaluating the demonstration for completeness. Once EPA completes this review, the facility will be notified that their demonstration is either complete or incomplete.

If the demonstration is found to be incomplete, the facility will receive a letter/email describing the deficiencies of the demonstration. They will be allowed to correct the demonstration and submit a new demonstration by November 30, 2020.

If the demonstration is found to be complete, the deadline to cease receipt of waste will be tolled until EPA reaches a final decision on the demonstration. EPA will propose a decision on the demonstration and will provide a 15 to 30-day public comment period. EPA encourages the state to review the demonstration and provide comments during this time. After EPA addresses any significant comments, EPA will issue a final determination.

EPA is maintaining a table of all submitted demonstrations and the current review status of the demonstrations at <https://www.epa.gov/coalash/ccr-part-implementation>.

If you have any questions or concerns, please contact me or Kristen Hillyer at hillyer.kirsten@epa.gov.

Sincerely,

Susan Vescovi

RCRA C&D Section

Land and Chemicals Branch

Land, Chemicals and Redevelopment Division

US EPA Region 5

312-353-2478